



POLİMET[®]
KİMYA VE TARIM ÜRÜNLERİ SAN.ve TİC.LTD.ŞTİ.

www.polimetkimya.com.tr
info@polimetkimya.com.tr
T: 0216 391 12 12
F: 0216 391 12 15
Istanbul-TURKEY



FEED GRADE COPPER SULPHATE SPECIFICATION

| PARAMETERS | STANDARD |
|---|-----------------------|
| Copper Sulphate (CuSo ₄ .5H ₂ O) Purity | 97% |
| Copper Content (Cu) | 24.6% (±0.5) |
| Acidity (Free H ₂ SO ₄) | 0.1% max. |
| Soluble Fe and Al Compounds (as Fe) | 0.3% max. |
| As | <8 ppm |
| Cd | <8 ppm |
| Pb | <40 ppm |
| pH | 3.5 minimum |
| Formulation type | Blue Powder Crystal |
| Size | 98% of material <1 mm |
| Moisture | <1% |
| Total of Dioxin | <1.0 TEQ/Kg (ppt) |
| Total of Dioxin and Dioxin Like PCB | <1.5 TEQ/Kg (ppt) |
| Total of Indicator PCB | <10 TEQ/Kg (ppt) |
| Anti-cake (SiO ₂) | 2% min. |

CAS NO: 7758-99-8 / **EINECS NO :** 231-847-6

Packing: 25kg UN5H3 Bag or 1000kg/1200kg/1250kg UN13H3 FIBC.

Production Knowledge: Obtained by treatment of electrolytic copper with sulfuric acid.

STANDARDS: Materials are produced in accordance with in the content limits of the legislation of directives (EC) No:1831/2003 Additives for use in animal nutrition and (EC) No:183/2005 Requirements for feed hygiene and Directive 2002/32/EC undesirable substances in animal feed & meets EU requirements.

Usage: It is used as a source of copper element in Feed Additives. It is not used directly as feed. The customer uses it according to his own ration.

Storage and Shipping Information: In its closed packaging with dry and cool environments, it should be used within 2 years from the date of production. Shipping with international feed additive transportation vehicle standards.

Transport Information: UN3077 - IMO 9 - Packing Group III

Container Type & Load: 20'DC - 20T/24T/25T - ISPM15 HT pallets